## **SPECIFICATION AMENDMENTS**

None

## **CLAIM AMENDMENTS**

## <u>Claim Amendment Summary</u> Claims pending


• Before this Amendment: Claims 27-46.

· After this Amendment: Claims 27-46.

Non-Elected, Canceled, or Withdrawn claims herein: Claims 1-26.

Amended claims: Claims 27, 29 and 45-46.

New claims: None.



Claims:

1-26. (Canceled)

27. (Currently Amended) A computer readable storage medium

encoded with a computer-implemented Application Programming Interface (API)

to:

invoke a deployment manifest to obtain manifest metadata about an

application for the purpose of installing the application on a client computing

system;

receive the manifest metadata about the application;

issue a query of an install state of the client computing system to

determine whether a platform necessary to the application is present on the

client computing system;

receive the install state of the necessary platform present on the client

computing system;

determine whether the application is authorized for installation on the

client computing system; and

enable the application to be installed on the client computing system,

wherein during the enabled installation, the application is available for use while

lee@hayes The Business of IP \*\*

being installed, wherein installation on the client computing device system comprises:

receiving a request from the client computing system for a resource;


determining if the resource is stored locally on the client computing system;

if the resource is not stored locally on the client computing device, determining if the requested resource is an on demand resource or an online resource:

if the resource is an on demand resource, caching the resource in an application store; and

if the resource is an online demand resource, caching the resource in a transient cache.

- **28.** (**Previously Presented**) The computer readable storage medium encoded with a computer-implemented (API) of claim 27 wherein the manifest metadata includes information sufficient to describe the application.
- **29. (Currently Amended)** The computer readable storage medium encoded with a computer-implemented Application Programming Interface (API) of claim 27 wherein the computer-implemented <del>application program interface</del> API receives a parameter that identifies the application.



- **30.** (Previously Presented) The computer readable storage medium encoded with a computer-implemented Application Programming Interface (API) of claim 27 wherein the computer-implemented API invokes a deployed application identity to obtain the manifest metadata about the application.
- **31.** (**Previously Presented**) The computer readable storage medium encoded with a computer-implemented Application Programming Interface (API) of claim 27 wherein the computer-implemented API invokes both a deployment manifest and a deployed application identity to obtain the manifest metadata about the application.
- 32. (Previously Presented)

  The computer readable storage medium encoded with a computer-implemented Application Programming Interface (API) of claim 27 wherein the computer-implemented API will abort the installation of the application if the platform is not present.
- 33. (Previously Presented)

  The computer readable storage medium encoded with a computer-implemented Application

  Programming Interface (API) of claim 32 wherein the computer-implemented API

will return error information in conjunction with aborting the installation of the application.

34. (Previously Presented)

The computer readable storage medium encoded with a computer-implemented Application Programming Interface (API) of claim 27 wherein the computer-implemented API will generate a set of authorization parameters for an authorized application.

35. (Previously Presented)

The computer readable storage medium encoded with a computer-implemented Application Programming Interface (API) of claim 34 wherein the set of authorization parameters comprise at least permission grants, privacy policy guarantees, and license keys.

Storage medium encoded with a computer-implemented Application

Programming Interface (API) of claim 27 wherein the platform comprises one or more software modules upon which the application depends that are not part of the application.

lee@hayes The Business of IP To

- 37. (Previously Presented)

  The computer readable storage medium encoded with a computer-implemented Application Programming Interface (API) of claim 36 wherein the platform further comprises one or more software modules that cannot be installed as part of the installation of the application.
- **38.** (**Previously Presented**) The computer readable storage medium encoded with a computer-implemented Application Programming Interface (API) of claim 27 wherein the platform is identified in an application manifest associated with the application.
- 39. (Previously Presented)

  The computer readable storage medium encoded with a computer-implemented Application Programming Interface (API) of claim 27 wherein the computer-implemented API includes verifying a version associated with the platform.
- 40. (Previously Presented)

  The computer readable storage medium encoded with a computer-implemented Application Programming Interface (API) of claim 27 wherein the determination of the authorization comprises determining whether the installation of the application exceeds a trust level associated with a source of the application.

- 41. (Previously Presented)

  The computer readable storage medium encoded with a computer-implemented Application Programming Interface (API) of claim 27 wherein the determination of the authorization comprises determining whether the installation of the application violates a privacy policy associated with the client computing system.
- 42. (Previously Presented)

  The computer readable storage medium encoded with a computer-implemented Application Programming Interface (API) of claim 27 wherein the determination of the authorization comprises determining whether the installation of the application violates a license associated with the application.
- 43. (Previously Presented) The computer readable storage medium encoded with a computer-implemented Application Programming Interface (API) of claim 27 wherein the computer-implemented API includes determining if a version of the application already exists on the client computing system.
- **44. (Previously Presented)** The computer readable storage medium encoded with a computer-implemented Application

Programming Interface (API) of claim 43 wherein the computer-implemented API

includes downloading at least one resource associated with the application if the

application does not exist on the client computing system.

45. (Currently Amended) A computer readable storage medium

encoded with a computer-implemented Application Programming Interface (API)

to:

invoke a deployment manifest to obtain manifest metadata about an

application for the purpose of installing the application on a client computing

system:

receive the manifest metadata about the application:

issue a guery of an install state of the client computing system to

determine whether a platform necessary to the application is present on the

client computing system, wherein the installation of the application is aborted if

the platform is not present and error information is returned in conjunction with

aborting the installation of the application;

receive the install state of the necessary platform present on the client

computing system;

determine whether the application is authorized for installation on the

client computing system; and

lee@hayes The Business of IP \*\*

Serial No.: 10/692,323 Atty Docket No.: MS1-1800US Atty/Agent: Jason F. Lindh enable the application to be installed on the client computing system, wherein during the enabled installation, the application is available for use while being installed, wherein installation on the client computing device system comprises:

receiving a request from the client computing system for a resource;

determining if the resource is stored locally on the client computing system;

if the resource is not stored locally on the client computing device, determining if the requested resource is an on demand resource or an online resource:

if the resource is an on demand resource, caching the resource in an application store; and

if the resource is an online demand resource, caching the resource in a transient cache.

**46. (Currently Amended)** A computer readable storage medium encoded with a computer-implemented Application Programming Interface (API) to:

invoke a deployment manifest to obtain manifest metadata about an application for the purpose of installing the application on a client computing system;

lee@hayes The Business of IP \*\*

receive the manifest metadata about the application;

issue a guery of an install state of the client computing system to

determine whether a platform necessary to the application is present on the

client computing system;

receive the install state of the necessary platform present on the client

computing system;

determine whether the application is authorized for installation on the

client computing system, wherein the computer-implemented API will generate a

set of authorization parameters for an authorized application comprising at least

permission grants, privacy policy guarantees, and license keys; and

enable the application to be installed on the client computing system,

wherein during the enabled installation, the application is available for use while

being installed, wherein installation on the client computing device system

comprises:

receiving a request from the client computing system for a resource;

determining if the resource is stored locally on the client computing

system;

if the resource is not stored locally on the client computing device,

determining if the requested resource is an on demand resource or an

online resource:

lee@hayes The Business of IP?

if the resource is an on demand resource, caching the resource in an application store; and

if the resource is an online demand resource, caching the resource in a transient cache.